EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	309	717/158.CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/16 17:24
L2	184	717/160.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/16 17:25
L3	503	712/207.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/16 17:25
L4	979	1 2 3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/16 17:25
L5	7295	(execution branch run ran executed) near2 (probabilities probability chance possibility possibilities likely probable likelihood)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/16 17:42
L6	3944	(execution branch run ran executed) near (probabilities probability chance possibility possibilities likely probable likelihood)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/16 17:42
L7	109	6 and 4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/16 17:43
L8	1087	probabili$8 near3 (execution run ran)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/16 17:43
L9	360	8 and 6	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/16 17:45
L10	9599	prefetch near ration outstanding near prefetch stride	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/16 17:45
L11	4	9 and 10	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/16 17:45

EAST Search History

S1	1189	717/151-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/17 14:02
S2	2113	optimiz$5 near5 compiler	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/09 14:18
S3	6046	prefetch	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/09 14:18
S4	1762	pre adj fetch	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/09 14:18
S5	7254	prefetch (pre adj fetch)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/09 14:18
S6	229	(prefetch (pre adj fetch)) and (optimiz$5 near5 compiler)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/09 14:18
S7	3320649	strid$3 calculat$3 length distance	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/09 14:19
S8	178	((prefetch (pre adj fetch)) and (optimiz$5 near5 compiler)) and (strid$3 calculat$3 length distance)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/09 14:19
S9	25	((prefetch (pre adj fetch)) and (optimiz$5 near5 compiler)) and stride	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/09 14:20
S10	25	(((prefetch (pre adj fetch)) and (optimiz$5 near5 compiler)) and stride) and loop	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/14 12:00
S11	7	((((prefetch (pre adj fetch)) and (optimiz$5 near5 compiler)) and stride) and loop) and induction	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/09 14:33
S12	6	((((prefetch (pre adj fetch)) and (optimiz$5 near5 compiler)) and stride) and loop) and induction adj variable	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/09 14:40

3/16/07 5:46:33 PM

Page 2

C:\Documents and Settings\AFowlkes\My Documents\EAST\Workspaces\m and a for inserting prefetch instructions in an optimizing com

EAST Search History

S13	1	"5933643".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/10 15:53
S14	1	"20030088864".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/15 14:20
S19	2246	optimiz$5 near5 compiler	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/10 07:52
S20	6341	prefetch	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/10 07:52
S21	1894	pre adj fetch	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/10 07:52
S22	7647	prefetch (pre adj fetch)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/10 07:52
S23	245	(prefetch (pre adj fetch)) and (optimiz$5 near5 compiler)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/10 07:52
S24	3432833	strid$3 calculat$3 length distance	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/10 07:52
S25	192	((prefetch (pre adj fetch)) and (optimiz$5 near5 compiler)) and (strid$3 calculat$3 length distance)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/10 07:52
S26	26	((prefetch (pre adj fetch)) and (optimiz$5 near5 compiler)) and stride	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/10 07:52
S27	26	(((prefetch (pre adj fetch)) and (optimiz$5 near5 compiler)) and stride) and loop	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/10 07:52
S28	7	((((prefetch (pre adj fetch)) and (optimiz$5 near5 compiler)) and stride) and loop) and induction	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/10 07:52

EAST Search History

S29	6	((((prefetch (pre adj fetch)) and (optimiz$5 near5 compiler)) and stride) and loop) and induction adj variable	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/10 07:52
S30	1	"5933643".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/10 07:52
S31	1	"20030088864".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/10 07:52
S32	1275	717/151-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/10 07:52
S33	2396	optimiz$5 near5 compiler	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:08
S34	6678	prefetch	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:08
S35	2039	pre adj fetch	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:08
S36	8088	prefetch (pre adj fetch)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:08
S37	258	(prefetch (pre adj fetch)) and (optimiz$5 near5 compiler)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:08
S38	3582963	strid$3 calculat$3 length distance	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:08
S39	204	((prefetch (pre adj fetch)) and (optimiz$5 near5 compiler)) and (strid$3 calculat$3 length distance)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:08
S40	29	((prefetch (pre adj fetch)) and (optimiz$5 near5 compiler)) and stride	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:08

S41	29	(((prefetch (pre adj fetch)) and (optimiz$5 near5 compiler)) and stride) and loop	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:08
S42	8	((((prefetch (pre adj fetch)) and (optimiz$5 near5 compiler)) and stride) and loop) and induction	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:08
S43	7	((((prefetch (pre adj fetch)) and (optimiz$5 near5 compiler)) and stride) and loop) and induction adj variable	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:08
S44	1	"5933643".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:08
S45	1	"20030088864".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:08
S46	1383	717/151-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:08
S47	2396	optimiz$5 near5 compiler	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:08
S48	6678	prefetch	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:08
S49	2039	pre adj fetch	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:08
S50	8088	prefetch (pre adj fetch)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:08
S51	3582963	strid$3 calculat$3 length distance	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:08
S52	204	((prefetch (pre adj fetch)) and (optimiz$5 near5 compiler)) and (strid$3 calculat$3 length distance)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:08

3/16/07 5:46:33 PM

Page 5

C:\Documents and Settings\AFowlkes\My Documents\EAST\Workspaces\m and a for inserting prefetch instructions in an optimizing com

EAST Search History

S53	1383	717/151-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:08
S54	1	"5933643".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:08
S55	1	"20030088864".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:08
S56	29	((prefetch (pre adj fetch)) and (optimiz$5 near5 compiler)) and stride	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:08
S57	29	(((prefetch (pre adj fetch)) and (optimiz$5 near5 compiler)) and stride) and loop	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:08
S58	8	((((prefetch (pre adj fetch)) and (optimiz$5 near5 compiler)) and stride) and loop) and induction	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:08
S59	7	((((prefetch (pre adj fetch)) and (optimiz$5 near5 compiler)) and stride) and loop) and induction adj variable	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:08
S60	258	(prefetch (pre adj fetch)) and (optimiz$5 near5 compiler)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:08
S61	8	("5822788" "99" "6055622" "90" "4888679" "90" "5752037" "90" "6311260" "90" "5941981" "87" "5694568" "87" "5193167" "78").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:09
S62	2533	optimiz$5 near5 compiler	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
S63	6995	prefetch	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
S64	2190	pre adj fetch	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22

S65	8514	prefetch (pre adj fetch)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
S66	280	(prefetch (pre adj fetch)) and (optimiz$5 near5 compiler)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
S67	3707373	strid$3 calculat$3 length distance	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
S68	224	((prefetch (pre adj fetch)) and (optimiz$5 near5 compiler)) and (strid$3 calculat$3 length distance)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
S69	33	((prefetch (pre adj fetch)) and (optimiz$5 near5 compiler)) and stride	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
S70	33	(((prefetch (pre adj fetch)) and (optimiz$5 near5 compiler)) and stride) and loop	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
S71	8	((((prefetch (pre adj fetch)) and (optimiz$5 near5 compiler)) and stride) and loop) and induction	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
S72	7	((((prefetch (pre adj fetch)) and (optimiz$5 near5 compiler)) and stride) and loop) and induction adj variable	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
S73	1	"5933643".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
S74	1	"20030088864".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
S75	1477	717/151-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
S76	2533	optimiz$5 near5 compiler	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22

3/16/07 5:46:33 PM
C:\Documents and Settings\AFowlkes\My Documents\EAST\Workspaces\m and a for inserting prefetch instructions in an optimizing com

Page 7

S77	6995	prefetch	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
S78	2190	pre adj fetch	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
S79	8514	prefetch (pre adj fetch)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
S80	3707373	strid$3 calculat$3 length distance	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
S81	224	((prefetch (pre adj fetch)) and (optimiz$5 near5 compiler)) and (strid$3 calculat$3 length distance)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
S82	1477	717/151-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
S83	1	"5933643".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
S84	1	"20030088864".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
S85	33	((prefetch (pre adj fetch)) and (optimiz$5 near5 compiler)) and stride	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
S86	33	(((prefetch (pre adj fetch)) and (optimiz$5 near5 compiler)) and stride) and loop	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
S87	8	((((prefetch (pre adj fetch)) and (optimiz$5 near5 compiler)) and stride) and loop) and induction	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
S88	7	((((prefetch (pre adj fetch)) and (optimiz$5 near5 compiler)) and stride) and loop) and induction adj variable	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22

3/16/07 5:46:33 PM

Page 8

C:\Documents and Settings\AFowlkes\My Documents\EAST\Workspaces\m and a for inserting prefetch instructions in an optimizing com

S89	280	(prefetch (pre adj fetch)) and (optimiz$5 near5 compiler)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
S90	2533	optimiz$5 near5 compiler	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
S91	6995	prefetch	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
S92	2190	pre adj fetch	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
S93	8514	prefetch (pre adj fetch)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
S94	3707373	strid$3 calculat$3 length distance	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
S95	224	((prefetch (pre adj fetch)) and (optimiz$5 near5 compiler)) and (strid$3 calculat$3 length distance)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
S96	1477	717/151-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
S97	2533	optimiz$5 near5 compiler	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
S98	6995	prefetch	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
S99	2190	pre adj fetch	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
S100	8514	prefetch (pre adj fetch)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22

S10 1	3707373	strid$3 calculat$3 length distance	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
S10 2	224	((prefetch (pre adj fetch)) and (optimiz$5 near5 compiler)) and (strid$3 calculat$3 length distance)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
S10 3	1477	717/151-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
S10 4	1	"5933643".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
S10 5	1	"20030088864".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
S10 6	1	"5933643".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
S10 7	1	"20030088864".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
S10 8	33	((prefetch (pre adj fetch)) and (optimiz$5 near5 compiler)) and stride	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
S10 9	33	(((prefetch (pre adj fetch)) and (optimiz$5 near5 compiler)) and stride) and loop	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
S11 0	8	((((prefetch (pre adj fetch)) and (optimiz$5 near5 compiler)) and stride) and loop) and induction	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
S11 1	7	((((prefetch (pre adj fetch)) and (optimiz$5 near5 compiler)) and stride) and loop) and induction adj variable	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
S11 2	33	((prefetch (pre adj fetch)) and (optimiz$5 near5 compiler)) and stride	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22

EAST Search History

S11 3	33	(((prefetch (pre adj fetch)) and (optimiz$5 near5 compiler)) and stride) and loop	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
S11 4	8	((((prefetch (pre adj fetch)) and (optimiz$5 near5 compiler)) and stride) and loop) and induction	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
S11 5	7	((((prefetch (pre adj fetch)) and (optimiz$5 near5 compiler)) and stride) and loop) and induction adj variable	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
S11 6	280	(prefetch (pre adj fetch)) and (optimiz$5 near5 compiler)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
S11 7	280	(prefetch (pre adj fetch)) and (optimiz$5 near5 compiler)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
S11 8	8	("5822788" "99" "6055622" "90" "4888679" "90" "5752037" "90" "6311260" "90" "5941981" "87" "5694568" "87" "5193167" "78").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22

Google™

Search within results

There were about **28,400** Google results for **(execution branch run ran executed) and (probabilities probability chance possibility possibilities likely probable likelihood) filetype:pdf**.
Use the search box below to search within these results.

probabilitiy execution

Search within results

Google Home – Advertising Programs – Business Solutions – About Google

©2007 Google

Google   **Web**   Images   Video   News   Maps   **more »**

(execution branch run ran executed) and (prol [Search]   Advanced Search
Preferences

The **"AND"** operator is unnecessary -- we include all search terms by default. [details]

Web Results **1 - 3** of 3 for **(execution branch run ran executed) and (probabilities probability chance possibility**

[PDF] <u>D:/research/MSc thesis/thesis/tex/thesis.dvi</u>
File Format: PDF/Adobe Acrobat
the growing support for the subjectivist approach to **probability** as opposed ... during
the **execution** of Mini-Buckets. When processing a single Mini-Bucket, ...
www.cs.ubc.ca/~hutter/papers/thesis.pdf - <u>Similar pages</u>

[PDF] <u>KING'S COLLEGE LONDON</u>
File Format: PDF/Adobe Acrobat
even cover the **execution** costs associated with the creation of the derivative. ... We
want to calculate the **probability**, in the the **possibility** system (Ω, ...
www.mth.kcl.ac.uk/research/finmath/courses/RNV-LectureNotes.pdf - <u>Similar pages</u>

[PDF] <u>EVALUATION REPORT</u>
File Format: PDF/Adobe Acrobat
Execution of the capacity building contracts was mixed. ... 57%, and the **probability**
of finding both data items for the same Country, City was 27%. As ...
www.unhabitat.org/downloads/docs/
4000_87677_1499_GUO_Stats_&_UIP_evaluation.pdf - <u>Similar pages</u>

(execution branch run ran executed [Search]

<u>Search within results</u> | <u>Language Tools</u> | <u>Search Tips</u> | <u>Dissatisfied? Help us improve</u>

<u>Google Home</u> - <u>Advertising Programs</u> - <u>Business Solutions</u> - <u>About Google</u>

©2007 Google

Google™

Search within results

There were about **28,400** Google results for **(execution branch run ran executed) and (probabilities probability chance possibility possibilities likely probable likelihood) filetype:pdf**.
Use the search box below to search within these results.

probabilities execution

Search within results

Google Home - Advertising Programs - Business Solutions - About Google

©2007 Google

Google™

Search within results

There were about **28,400** Google results for **(execution branch run ran executed) and (probabilities probability chance possibility possibilities likely probable likelihood) filetype:pdf**.
Use the search box below to search within these results.

"execution probabilities"

Search within results

Google Home - Advertising Programs - Business Solutions - About Google

©2007 Google

Google   **Web**   Images   Video   News   Maps   **more »**

(execution branch run ran executed) and (prol [Search]   Advanced Search
                                                          Preferences

The **"AND"** operator is unnecessary -- we include all search terms by default. [details]

Web Results 1 - 1 of 1 for **(execution branch run ran executed) and (probabilities probability chance possibility**
Tip: Try removing quotes from your search to get more results.

[PDF] Automated Methods for Creating Diversity in Computer Systems
File Format: PDF/Adobe Acrobat - View as HTML
This is not an abstract **possibility** but an ongoing problem over at ... What is the
probability that an **execution** of random bytes will **branch** to valid code ...
www.cs.unm.edu/~forrest/dissertations-and-proposals/gabriela-dissertation.pdf -
Similar pages

(execution branch run ran executed [Search]

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2007 Google

Google

Web   Images   Video   News   Maps   **more »**

(execution branch run ran executed) and (prol ▓Search▓

The **"AND"** operator is unnecessary -- we include all search terms by default. [details]

Web

Tip: Try removing quotes from your search to get more results.

Your search - **(execution branch run ran executed) and (probabilities probability chance possibility possibilities likely probable likelihood) filetype:pdf "probabilistically adjusted"** - did not match any documents.

Suggestions:

- Make sure all words are spelled correctly.
- Try different keywords.
- Try more general keywords.
- Try fewer keywords.

Google Home - Advertising Programs - Business Solutions - About Google

©2007 Google

Google   **Web**   Images   Video   News   Maps   **more »**

(execution branch run ran executed) and (prol [Search]   Advanced Search
Preferences

The **"AND"** operator is unnecessary -- we include all search terms by default. [details]

Web Results **1 - 10** of about **146** for **(execution branch run ran executed) and (probabilities probability chance p**

[PDF] Contingent Planning Under Uncertainty via Stochastic Satisfiability
File Format: PDF/Adobe Acrobat - View as HTML
possible **execution** trace and summing the **probability** of each trace whose final ...
One **possibility** is suggested by c-maxplan, a less successful contingent ...
www.cs.rutgers.edu/~mlittman/papers/aij03-zander.pdf - Similar pages

[PDF] SHS 785 **Probability** and Random Variables
File Format: PDF/Adobe Acrobat
I'm not saying that the design, planning, and **execution** ... Ω are equally **likely**, the
probability of an event A occuring is given. by P(A) = ...
www.shs.ohio-state.edu/faculty/king/probbook.pdf - Similar pages

[PDF] Automated Methods for Creating Diversity in Computer Systems
File Format: PDF/Adobe Acrobat - View as HTML
This is not an abstract **possibility** but an ongoing problem over at ... What is the
probability that an **execution** of random bytes will **branch** to valid code ...
www.cs.unm.edu/~forrest/dissertations-and-proposals/gabriela-dissertation.pdf -
Similar pages

[PDF] The ability of directed tests to predict software quality
File Format: PDF/Adobe Acrobat
probabilistically. For example, it can be measured by a **probability** of failure, ... An
alternate **possibility** is to define the power of a test method as the ...
www.springerlink.com/index/J1X18X763160Q023.pdf - Similar pages

[PDF] Secure Application Partitioning for Intellectual Property ...
File Format: PDF/Adobe Acrobat - View as HTML
discussed the **possibility** of partitioning applications for copy ... consumed 5% of the
execution time of a program, and that code **ran** at 80% the speed of ...
csg.lcs.mit.edu/pubs/memos/Memo-488/memo-488.pdf - Similar pages

[PDF] Connected Mathematics - Building Concrete Relationships with ...
File Format: PDF/Adobe Acrobat
that two **possibilities** "means" a 50-50 **chance**. Circle Chords. From a given circle,
choose a random chord. What's the **probability** that the ...
ccl.northwestern.edu/papers/download/Wilensky-thesis.pdf - Similar pages

[PDF] Control Strategies for Two-Player Games
File Format: PDF/Adobe Acrobat - View as HTML
methods; plan **execution**, formation, generation; J.m [Computer. Applications]: ...
does the **probability** that an incorrect move. will be made [Nau 1983a]. ...
www.engr.uconn.edu/~acr/Courses/cse269-fa03/abra.pdf - Similar pages

[PDF] Z<
File Format: PDF/Adobe Acrobat
leaves open the **possibility** that some procedures in the Parser ... consumed 5% of
the **execution** time of a program, and that code **ran** at 80% the speed of ...
dspace.mit.edu/bitstream/1721.1/34359/1/70078803.pdf - Similar pages

[PDF] On-line Robot Adaptation to Environmental Change
File Format: PDF/Adobe Acrobat
Identification of a failure of the robot and **execution** of a recovery action. ... residual

probability is due to the **chance** that either the first or second ...
reports-archive.adm.cs.cmu.edu/anon/2005/CMU-CS-05-165.pdf - <u>Similar pages</u>

[PDF] <u>UNIVERSITY OF CALIFORNIA SANTA CRUZ COMPREHENSIVE FAULT DIAGNOSIS ...</u>
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
execution, have been invaluable. I would also like to thank those people who ... Also,
some **probability** mass is reserved to account for the **possibility** of ...
sctest.cse.ucsc.edu/lavo/lavo_dissertation.pdf - <u>Similar pages</u>

Result Page: 1<u>2345678910</u> **Next**

(execution branch run ran executed   Search

<u>Search within results</u> | <u>Language Tools</u> | <u>Search Tips</u> | <u>Dissatisfied? Help us improve</u>

<u>Google Home</u> - <u>Advertising Programs</u> - <u>Business Solutions</u> - <u>About Google</u>

©2007 Google

IEEE Xplore® RELEASE 2.3

Welcome United States Patent and Trademark Office

□ **Search Session History**

BROWSE SEARCH IEEE XPLORE GUIDE SUPPORT

Edit an existing query or compose a new query in the Search Query Display.

Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Fri, 16 Mar 2007, 6:03:07 PM EST

Search Query Display

Run Search Reset

Recent Search Queries		Results
#1	(((execution or branch or run or ran or executed) <near/2> (probabilities or probability or chance or possibility or possibilities or likely or probable or likelihood))<in>metadata)	123
#2	"execution probability"	48
#3	"execution probability" <sentence> prefetch	0
#4	"probabilistically adjusted" <near/2> execution	0

Clear Session History

Indexed by
Inspec®